# Apple Mail から Gmail への移行手順書 (メール編)

2013年9月3日 第1版

# 目次

1.	環境	竟確認
2.	目白	匀
3.	必要	要な物
4.	デー	- タ移行の流れ
5.	移往	亏準備
5	-1.	Google Email Uploader のダウンロード2-
5	-2.	メールのアップロード3-
5	-3.	トラブルシューティング4-

#### 1. 環境確認

OS : Macintosh メールソフト : Apple Mail

#### 2. 目的

Apple Mail 内のメールデータを Gmail へ保存する。

#### 3. 必要な物

Apple Mail を使用している Macintosh メーラーとして使用中の Apple Mail 移行先 Gmail のアカウント Google Email Uploader (Gmail へ Apple Mail 内のメールをアップ ロードするツール)

# 4. データ移行の流れ



### 5. 移行準備

5-1. Google Email Uploader のダウンロード※前提として、Apple Mail を使用中とします。

以下のサイトから、<u>Google Email Uploader</u>をダウンロードします。



[GoogleEmailUploader-1.2.zip]をクリックします。



[GoogleEmailUploader-1.2.zip]をクリックしファイルを保存します。

## 5-2. メールのアップロード

ダウンロードした[GoogleEmailUploader-1.2.zip]を展開し、

[GoogleEmailUploader]を実行、メールをアップロードします。

"Google Email Uploader ネットからダウンロードさ か?	"は、アプリケーション nました。開いてもよ?	で、インタ ちしいです
このファイルは 今日の 10:24	に code.google.com から	Safari でダウ
ンロードされました。		

[GoogleEmailUploader]を開いても良いか聞かれるので[開く]をクリックします。

※アプリケーションを実行する際、Apple Mail が起動しているとアプリケーションを 起動出来ませんので、必ず Apple Mail を終了させてから実行して下さい。

pple Mail Mailboxes (0) POP-test@pop. Drafts (0) INBOX (1) Sent Message	gmail.com				
INBOX (1) Sent Message					
Sent Message					
	es (0 of 1)				
	Upload Selection	Upload Program	Skinned Messag		
and the design of the design o	opioad Selection	opioad riogress	skipped messag		
upload: Under a r	unute				
	interce			N	lessages selected:
	indee			Ν	lessages selected:
il properties wh	ere possible (un	read, trashed, sta	arred, draft)	Ν	lessages selected:
il properties wh Ided mail in Inb	ere possible (uni ox	read, trashed, sta	arred, draft)	Ν	lessages selected:
il properties wh aded mail in Inb box names as G	ere possible (un ox mail labels	read, trashed, sta	arred, draft)	N	lessages selected:
il properties wh aded mail in Inb box names as C tional label: ap	ere possible (uni ox mail labels ple mail inbox	read, trashed, sta	arred, draft)	N	lessages selected:
al properties wh aded mail in Inb box names as C tional label: ap	ere possible (uni ox mail labels ple mail inbox	read, trashed, st	arred, draft)	N	lessages selected:
ail properties wh aded mail in Inb box names as C tional label: ap e Account	ere possible (uni ox mail labels ple mail inbox	read, trashed, sta	arred, draft)	Ν	lessages selected:
il properties wh aded mail in Inb box names as C tional label: ap e Account	ere possible (uni ox mail labels ple mail inbox	read, trashed, st	arred, draft)	N	lessages selected:
il properties wh aded mail in Inb box names as C tional label: ap e Account il Address:	ere possible (uni ox mail labels ple mail inbox u	read, trashed, sta	arred, draft) ikyo-u.ac.jp	Ν	lessages selected:
il properties wh aded mail in Inb box names as C tional label: ap e Account il Address: sword:	ere possible (uni ox mail labels ple mail inbox u	read, trashed, sta	arred, draft) ikyo-u.ac.jp	N	lessages selected:
il properties wh aded mail in Inb box names as C tional label: ap e Account il Address: sword:	ere possible (uni ox mail labels ple mail inbox u	read, trashed, sta sername@xxx.te	arred, draft) ikyo-u.ac.jp	N	lessages selected:
il properties wh aded mail in Inb box names as C tional label: ap e Account il Address: sword:	ere possible (uni ox mail labels ple mail inbox u	read, trashed, sta sername@xxx.te	arred, draft) ikyo-u.ac.jp	N	lessages selected:
il properties wh aded mail in Inb box names as G tional label: ap e Account il Address: sword:	ere possible (uni ox mail labels ple mail inbox	read, trashed, sta	arred, draft) ikyo-u.ac.jp	N	lessages selected:
	upload: Under a m	Upload Selection	Upload Selection Upload Progress	Upload Selection Upload Progress Skipped Messag	Upload Selection Upload Progress Skipped Messages

[Select mailboxes to upload]にてアップロードしたい項目のチェックをクリックして チェックマークを付け、[Email Address]と[Password]を入力して[Upload]をクリック します。

[Assign additional label]は任意の名称に変更しても構いません。Gmailのラベルにこ こで指定したラベル名が設定されます。

Uploadir	ng started 2013/10/10 12	2:21:37				
Uploadir	g Data	ed: 0				
Uploadir	ng finished 2013/10/10 1	2:21:40				
			Lipland Programs	Chinned Massage		
		UDIOAD Selection	Upload Progress	Skipped Message		
					,	lassages colosted:
					N	lessages selected: 1
Proc	nue mail properties y	where possible (u	prood tracked st	arred draft)	N	lessages selected: 1
Prese	erve mail properties v	where possible (u	nread, trashed, st	arred, draft)	N	lessages selected:
Prese	erve mail properties v Il uploaded mail in Ir gn mailbox names as	where possible (un nbox Gmail labels	nread, trashed, st	arred, draft)	N	lessages selected:
<ul> <li>✓ Prese</li> <li>Put a</li> <li>Assig</li> <li>✓ Assig</li> </ul>	erve mail properties v Il uploaded mail in Ir gn mailbox names as gn additional label: [	where possible (un nbox Gmail labels apple mail inbox	nread, trashed, st	arred, draft)	N	lessages selected:
<ul> <li>✓ Prese</li> <li>Put a</li> <li>Assig</li> <li>✓ Assig</li> </ul>	erve mail properties v Il uploaded mail in Ir gn mailbox names as gn additional label: [	where possible (un nbox Gmail labels apple mail inbox	nread, trashed, st	arred, draft)	N	lessages selected:
<ul> <li>✓ Prese</li> <li>Put a</li> <li>Assig</li> <li>✓ Assig</li> </ul>	erve mail properties v Il uploaded mail in Ir gn mailbox names as gn additional label: Google Account	where possible (un nbox : Gmail labels apple mail inbox	nread, trashed, st	arred, draft)	N	lessages selected:
<ul> <li>✓ Prese</li> <li>Put a</li> <li>Assig</li> <li>✓ Assig</li> </ul>	erve mail properties of Il uploaded mail in Ir gn mailbox names as gn additional label: Google Account Email Address:	where possible (un hbox Gmail labels apple mail inbox	nread, trashed, st	arred, draft) eikyo-u.ac.jp	N	tessages selected:
Prese Put a Assig	erve mail properties of Il uploaded mail in Ir gn mailbox names as gn additional label: Google Account Email Address: Password:	where possible (un nbox Gmail labels apple mail inbox	nread, trashed, st username@xxx.te	arred, draft) eikyo-u.ac.jp	N	tessages selected:
Prese Put a Assig	erve mail properties of Il uploaded mail in In gn mailbox names as gn additional label: Google Account Email Address: Password:	where possible (un nbox Gmail labels apple mail inbox	nread, trashed, st username@xxx.te	arred, draft) eikyo-u.ac.jp	N	tessages selected: :
Prese Put a Assig	erve mail properties v Il uploaded mail in Ir gn mailbox names as gn additional label: Google Account Email Address: Password:	where possible (un nbox Gmail labels apple mail inbox	nread, trashed, st username@xxx.te	arred, draft) eikyo-u.ac.jp	N	lessages selected: :
Prese Put a Assig	erve mail properties v Il uploaded mail in Ir gn mailbox names as gn additional label: Google Account Email Address: Password:	where possible (un nbox Gmail labels apple mail inbox	nread, trashed, st username@xxx.te	arred, draft) eikyo-u.ac.jp	N	tessages selected: :

アップロードしたら Gmail を確認し、メールがアップロードされていれば完了と します。

#### 5-3. トラブルシューティング

メールのアップロード時にエラーが出た場合

メールの中に実行ファイルが添付されていた場合発生します。 添付ファイルを圧縮する等して、ファイル形式の変更をお願いします。 また、ウィルスに感染したメールがあった場合も Gmail へのアップロード時に エラーが発生します。